

	Type	Hits	Search Text	DBs
1	BRS	8705	(vehicle or vehicular or intervehicle or intervehicular or inter adj vehicle or inter adj vehicular) with (distance or separation) with (measure or measurement or measuring or measured)	USPAT; US-PGPUB; EPO; JPO; DERWENT
2	BRS	64625	(adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed) with (luminous or luminosity or lumination or bright or brightness or intensity or dim or dimming or dimmed) with (light	USPAT; US-PGPUB; EPO; JPO; DERWENT
3	BRS	15	((vehicle or vehicular or intervehicle or intervehicular or inter adj vehicle or inter adj vehicular) with (distance or separation) with (measure or measurement or measuring or measured)) same ((adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed) with (luminous or luminosity or lumination or bright or brightness or intensity or dim or dimming or dimmed) with (light or lamp))	USPAT; US-PGPUB; EPO; JPO; DERWENT
4	BRS	92084	(adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed control or controlling or controlled) with (luminous or luminosity or lumination or bright or brightness or intensity or dim or dimming or dimmed) with (light or lamp)	USPAT; US-PGPUB; EPO; JPO; DERWENT

	Time Stamp	Comments	Error Definition	Errors
1	2004/03/30 17:17			0
2	2004/03/30 16:56			0
3	2004/03/24 17:51			0
4	2004/03/24 18:32			0

	Type	Hits	Search Text	DBs
5	BRS	15	((vehicle or vehicular or intervehicle or intervehicular or inter adj vehicle or inter adj vehicular) with (distance or separation) with (measure or measurement or measuring or measured)) same (((vehicle or vehicular or intervehicle or intervehicular or inter adj vehicle or inter adj vehicular) with (distance or separation) with (measure or measurement or measuring or measured)) same ((adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed) with (luminous or luminosity or lumination or bright or brightness or intensity or dim or dimming or dimmed) with (light or lamp)))	USPAT; US-PGPUB; EPO; JPO; DERWENT

	Time Stamp	Comments	Error Definition	Errors
5	2004/03/24 17:59			0

	Type	Hits	Search Text	DBs
6	BRS	0	(((vehicle or vehicular or intervehicle or intervehicular or inter adj vehicle or inter adj vehicular) with (distance or separation) with (measure or measurement or measuring or measured)) same (((vehicle or vehicular or intervehicle or intervehicular or inter adj vehicle or inter adj vehicular) with (distance or separation) with (measure or measurement or measuring or measured)) same ((adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed) with (luminous or luminosity or lumination or bright or brightness or intensity or dim or dimming or dimmed) with (light or lamp)))) not (((vehicle or vehicular or intervehicle or intervehicular or inter adj vehicle or inter adj vehicular) with (distance or separation) with (measure or measurement or measuring or measured)) same ((adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed) with (luminous or luminosity or lumination or bright or	USPAT; US-PGPUB; EPO; JPO; DERWENT

	Time Stamp	Comments	Error Definition	Errors
6	2004/03/24 17:59			0

	Type	Hits	Search Text	DBs
7	BRS	15	((vehicle or vehicular or intervehicle or intervehicular or inter adj vehicle or inter adj vehicular) with (distance or separation) with (measure or measurement or measuring or measured)) and (((vehicle or vehicular or intervehicle or intervehicular or inter adj vehicle or inter adj vehicular) with (distance or separation) with (measure or measurement or measuring or measured)) same ((adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed) with (luminous or luminosity or lumination or bright or brightness or intensity or dim or dimming or dimmed) with (light or lamp)))	USPAT; US-PGPUB; EPO; JPO; DERWENT
8	BRS	24	((vehicle or vehicular or intervehicle or intervehicular or inter adj vehicle or inter adj vehicular) with (distance or separation) with (measure or measurement or measuring or measured)) same ((adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed control or controlling or controlled) with (luminous or luminosity or lumination or bright or brightness or intensity or dim or dimming or dimmed) with (light or lamp)))	USPAT; US-PGPUB; EPO; JPO; DERWENT

	Time Stamp	Comments	Error Definition	Errors
7	2004/03/24 18:00			0
8	2004/03/24 18:22			0

	Type	Hits	Search Text	DBs
9	BRS	9	(((vehicle or vehicular or intervehicle or intervehicular or inter adj vehicle or inter adj vehicular) with (distance or separation) with (measure or measurement or measuring or measured)) same ((adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed control or controlling or controlled) with (luminous or luminosity or lumination or bright or brightness or intensity or dim or dimming or dimmed) with (light or lamp))) not (((vehicle or vehicular or intervehicle or intervehicular or inter adj vehicle or inter adj vehicular) with (distance or separation) with (measure or measurement or measuring or measured)) same ((adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed) with (luminous or luminosity or lumination or bright or brightness or intensity or dim or dimming or dimmed) with (light or lamp)))	USPAT; US-PGPUB; EPO; JPO; DERWENT
10	BRS	2937	cut adj2 off adj2 line	USPAT; US-PGPUB; EPO; JPO; DERWENT

	Time Stamp	Comments	Error Definition	Errors
9	2004/03/24 18:09			0
10	2004/03/24 18:09			0

	Type	Hits	Search Text	DBs
11	BRS	3	((vehicle or vehicular or intervehicle or intervehicular or inter adj vehicle or inter adj vehicular) with (distance or separation) with (measure or measurement or measuring or measured)) and ((adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed control or controlling or controlled) with (luminous or luminosity or lumination or bright or brightness or intensity or dim or dimming or dimmed) with (light or lamp)) and (cut adj2 off adj2 line)	USPAT; US-PGPUB; EPO; JPO; DERWENT
12	BRS	4805	((adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed control or controlling or controlled) with (luminous or luminosity or lumination or bright or brightness or intensity or dim or dimming or dimmed) with (light or lamp)) same speed	USPAT; US-PGPUB; EPO; JPO; DERWENT
13	BRS	5474	((adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed control or controlling or controlled) with (luminous or luminosity or lumination or bright or brightness or intensity or dim or dimming or dimmed) with (light or lamp)) same (speed or velocity)	USPAT; US-PGPUB; EPO; JPO; DERWENT

	Time Stamp	Comments	Error Definition	Errors
11	2004/03/24 18:15			0
12	2004/03/24 18:23			0
13	2004/03/24 18:23			0

	Type	Hits	Search Text	DBs
14	BRS	1	((vehicle or vehicular or intervehicle or intervehicular or inter adj vehicle or inter adj vehicular) with (distance or separation) with (measure or measurement or measuring or measured)) and (((adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed control or controlling or controlled) with (luminous or luminosity or lumination or bright or brightness or intensity or dim or dimming or dimmed) with (light or lamp)) same (speed or velocity)) and (cut adj2.off.adj2 line)	USPAT; US-PGPUB; EPO; JPO; DERWENT
15	BRS	24	((vehicle or vehicular or intervehicle or intervehicular or inter adj vehicle or inter adj vehicular) with (distance or separation) with (measure or measurement or measuring or measured)) and (((adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed control or controlling or controlled) with (luminous or luminosity or lumination or bright or brightness or intensity or dim or dimming or dimmed) with (light or lamp)) same (speed or velocity))	USPAT; US-PGPUB; EPO; JPO; DERWENT

	Time Stamp	Comments	Error Definition	Errors
14	2004/03/24 18:23			0
15	2004/03/24 18:23			0

	Type	Hits	Search Text	DBs
16	BRS	14	(((vehicle or vehicular or intervehicle or intervehicular or inter adj vehicle or inter adj vehicular) with (distance or separation) with (measure or measurement or measuring or measured)) and (((adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed control or controlling or controlled) with (luminous or luminosity or lumination or bright or brightness or intensity or dim or dimming or dimmed) with (light or lamp)) same (speed or velocity))) not (((vehicle or vehicular or intervehicle or intervehicular or inter adj vehicle or inter adj vehicular) with (distance or separation) with (measure or measurement or measuring or measured)) same ((adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed control or controlling or controlled) with (luminous or luminosity or lumination or bright or brightness or intensity or dim or dimming or dimmed) with (light or lamp))))	USPAT; US-PGPUB; EPO; JPO; DERWENT
17	BRS	8713	(vehicle or vehicular or intervehicle or intervehicular or inter adj vehicle or inter adj vehicular) with (distance or separation) with (measure or measurement or measuring or measured)	USPAT; US-PGPUB; EPO; JPO; DERWENT

	Time Stamp	Comments	Error Definition	Errors
16	2004/03/24 18:23			0
17	2004/03/29 16:03			0

	Type	Hits	Search Text	DBs
18	BRS	64703	(adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed) with (luminous or luminosity or lumination or bright or brightness or intensity or dim or dimming or dimmed) with (light	USPAT; US-PGPUB; EPO; JPO; DERWENT
19	BRS	231051	(sense or sensing or sensed or detect or detecting or detected or monitored or monitoring or monitored or measured or measured or measuring) near5 (speed or velocity)	USPAT; US-PGPUB; EPO; JPO; DERWENT
20	BRS	62	((vehicle or vehicular or intervehicle or intervehicular or inter adj vehicle or inter adj vehicular) with (distance or separation) with (measure or measurement or measuring or measured)) and ((adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed) with (luminous or luminosity or lumination or bright or brightness or intensity or dim or dimming or dimmed) with (light or lamp)) and ((sense or sensing or sensed or detect or detecting or detected or monitored or monitoring or monitored or measured or measured or measuring) near5 (speed or velocity))	USPAT; US-PGPUB; EPO; JPO; DERWENT
21	IS&R	2885	((340/903) or (340/436) or (340/469) or (340/457.2) or (362/460) or (315/82) or (307/10.8) or (250/214d)).CCLS.	USPAT; US-PGPUB

	Time Stamp	Comments	Error Definition	Errors
18	2004/03/29 17:50			0
19	2004/03/29 17:50			0
20	2004/03/29 17:47			0
21	2004/03/29 17:49			0

	Type	Hits	Search Text	DBs
22	BRS	683	(((340/903) or (340/436) or (340/469) or (340/457.2) or (362/460) or (315/82) or (307/10.8) or (250/214d)).CCLS.) and ((sense or sensing or sensed or detect or detecting or detected or monitored or monitoring or monitored or measured or measured or measuring) near5 (speed or velocity))	USPAT; US-PGPUB; EPO; JPO; DERWENT
23	BRS	80060	(adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed) with (luminous or luminosity or lumination or bright or brightness or intensity or dim or dimming or dimmed) with (light or lamp or high ajd beam or low	USPAT; US-PGPUB; EPO; JPO; DERWENT
24	BRS	44	(((340/903) or (340/436) or (340/469) or (340/457.2) or (362/460) or (315/82) or (307/10.8) or (250/214d)).CCLS.) and ((sense or sensing or sensed or detect or detecting or detected or monitored or monitoring or monitored or measured or measured or measuring) near5 (speed or velocity))) and ((adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed) with (luminous or luminosity or lumination or bright or brightness or intensity or dim or dimming or dimmed) with (light or lamp or high ajd beam or low adi beam))	USPAT; US-PGPUB; EPO; JPO; DERWENT

	Time Stamp	Comments	Error Definition	Errors
22	2004/03/29 17:50			0
23	2004/03/29 17:51			0
24	2004/03/29 18:34			0

	Type	Hits	Search Text	DBs
25	BRS	8713	(vehicle or vehicular or intervehicle or intervehicular or inter adj vehicle or inter adj vehicular) with (distance or separation) with (measure or measurement or measuring or measured)	USPAT; US-PGPUB; EPO; JPO; DERWENT
26	BRS	46	(((((340/903) or (340/436) or (340/469) or (340/457.2) or (362/460) or (315/82) or (307/10.8) or (250/214d)).CCLS.) and ((sense or sensing or sensed or detect or detecting or detected or monitored or monitoring or monitored or measured or measured or measuring) near5 (speed or velocity))) and ((adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed) with (luminous or luminosity or lumination or bright or brightness or intensity or dim or dimming or dimmed) with (light or lamp or high adj beam or low adj beam))	USPAT; US-PGPUB; EPO; JPO; DERWENT

	Time Stamp	Comments	Error Definition	Errors
25	2004/03/29 18:35			0
26	2004/03/29 18:52			0

	Type	Hits	Search Text	DBs
27	BRS	13	<p> ((((340/903) or (340/436) or (340/469) or (340/457.2) or (362/460) or (315/82) or (307/10.8) or (250/214d)).CCLS.) and ((sense or sensing or sensed or detect or detecting or detected or monitored or monitoring or monitored or measured or measured or measuring) near5 (speed or velocity))) and ((adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed) with (luminous or luminosity or lumination or bright or brightness or intensity or dim or dimming or dimmed) with (light or lamp or high adj beam or low adj beam))) and ((vehicle or vehicular or intervehicle or intervehicular or inter adj vehicle or inter adj vehicular) with (distance or separation) with (measure or measurement or measuring or measured)) </p>	<p> USPAT; US-PGPUB; EPO; JPO; DERWENT </p>

	Time Stamp	Comments	Error Definition	Errors
27	2004/03/29 18:36			0

	Type	Hits	Search Text	DBs
28	BRS	20	(((340/903) or (340/436) or (340/469) or (340/457.2) or (362/460) or (315/82) or (307/10.8) or (250/214d)).CCLS.) and ((adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed) with (luminous or luminosity or lumination or bright or brightness or intensity or dim or dimming or dimmed) with (light or lamp or high adj beam or low adj beam))) and ((vehicle or vehicular or intervehicle or intervehicular or inter adj vehicle or inter adj vehicular) with (distance or separation) with (measure or measurement or measuring or measured))	USPAT; US-PGPUB; EPO; JPO; DERWENT
29	BRS	226	(((340/903) or (340/436) or (340/469) or (340/457.2) or (362/460) or (315/82) or (307/10.8) or (250/214d)).CCLS.) and ((adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed) with (luminous or luminosity or lumination or bright or brightness or intensity or dim or dimming or dimmed) with (light or lamp or high adj beam or low adj beam))	USPAT; US-PGPUB; EPO; JPO; DERWENT

	Time Stamp	Comments	Error Definition	Errors
28	2004/03/29 19:04			0
29	2004/03/30 16:58			0

	Type	Hits	Search Text	DBs
30	BRS	13	(((340/903) or (340/436) or (340/469) or (340/457.2) or (362/460) or (315/82) or (307/10.8) or (250/214d)).CCLS.) and ((adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed) with (luminous or luminosity or lumination or bright or brightness or intensity or dim or dimming or dimmed) with (light or lamp or high adj beam or low adj beam))) and cut adj off	USPAT; US-PGPUB; EPO; JPO; DERWENT
31	BRS	3761	cut adj off and (adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed) with (luminous or luminosity or lumination or bright or brightness or intensity or dim or dimming or dimmed or distribution) with (light or lamp or headlight or headlamp)	USPAT; US-PGPUB; EPO; JPO; DERWENT
32	BRS	1574	cut adj off with (light or lamp) and (adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed) with (luminous or luminosity or lumination or bright or brightness or intensity or dim or dimming or dimmed or distribution) with (light or lamp or headlight or headlamp)	USPAT; US-PGPUB; EPO; JPO; DERWENT

	Time Stamp	Comments	Error Definition	Errors
30	2004/03/30 16:52			0
31	2004/03/30 16:57			0
32	2004/03/30 17:43			0

	Type	Hits	Search Text	DBs
33	BRS	8	(((340/903) or (340/436) or (340/469) or (340/457.2) or (362/460) or (315/82) or (307/10.8) or (250/214d)).CCLS.) and (cut adj off with (light or lamp) and (adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed) with (luminous or luminosity or lumination or bright or brightness or intensity or dim or dimming or dimmed or distribution) with (light or lamp or headlight or headlamp))	USPAT; US-PGPUB; EPO; JPO; DERWENT
34	BRS	65	(vehicle or vehicular or intervehicle or intervehicular or inter adj vehicle or inter adj vehicular) same (distance or separation) with (sensor or detector or sensing or detecting) with (inside or in\$1 or within) near5 (lamp or light)	USPAT; US-PGPUB; EPO; JPO; DERWENT
35	BRS	70	(vehicle or vehicular or intervehicle or intervehicular or inter adj vehicle or inter adj vehicular) same (distance or separation) with (sensor or detector or sensing or detecting) with (inside or in\$1 or within) near5 (lamp or light or headlamp or headlight)	USPAT; US-PGPUB; EPO; JPO; DERWENT

	Time Stamp	Comments	Error Definition	Errors
33	2004/03/30 16:58			0
34	2004/03/30 17:21			0
35	2004/03/30 17:21			0

	Type	Hits	Search Text	DBs
36	BRS	209	cut adj off with (light or lamp or headlight or headlamp) same (adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed) with (luminous or luminosity or lumination or bright or brightness or intensity or dim or dimming or dimmed or distribution) with (light or lamp or headlight or headlamp)	USPAT; US-PGPUB; EPO; JPO; DERWENT
37	BRS	208	(cut adj off with (light or lamp or headlight or headlamp) same (adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed) with (luminous or luminosity or lumination or bright or brightness or intensity or dim or dimming or dimmed or distribution) with (light or lamp or headlight or headlamp)) not ((vehicle or vehicular or intervehicle or intervehicular or inter adj vehicle or inter adj vehicular) same (distance or separation) with (sensor or detector or sensing or detecting) with (inside or in\$1 or within) near5 (lamp or light or headlamp or headlight))	USPAT; US-PGPUB; EPO; JPO; DERWENT

	Time Stamp	Comments	Error Definition	Errors
36	2004/03/30 17:44			0
37	2004/03/30 17:44			0